

Message

From: Brad Gentry [bgentry@iwmconsult.com]
Sent: 10/11/2018 3:21:36 PM
To: Bury, Carolyn [bury.carolyn@epa.gov]
Subject: RE: photo for Amphenol fact sheet

I will have to ask permission from Amphenol first. I will let you know once I hear back from them.

Sincerely,

Bradley E. Gentry, LPG
Vice President/Brownfield Coordinator
IWM Consulting Group, LLC
7428 Rockville Road
Indianapolis, IN 46214
Mobile: (317) 435-8877
Office: (317) 968-9256
Fax: (317) 347-9326

From: Bury, Carolyn <bury.carolyn@epa.gov>
Sent: Thursday, October 11, 2018 10:50 AM
To: Brad Gentry <bgentry@iwmconsult.com>
Subject: photo for Amphenol fact sheet

Hi Brad,
Do you have a photo of a SS sample port that we could use in an EPA fact sheet?
Alternatively, any VI indoor home sampling photo that does not have PII? The contractor put one in the fact sheet from a manufacturer, but did not get permission first.
If you don't have one, I'll ask around here.
Thanks.
Carolyn

Carolyn Bury
Corrective Action Project Manager
Remediation and Re-use Branch
Land and Chemicals Division
U.S. Environmental Protection Agency
77 W. Jackson Blvd. LU-16J
Chicago, IL 60604

312-886-3020
bury.carolyn@epa.gov